# INLINE FILTER MADE HEALTHIER BY AQUVERIS





# Model 50601-01

## **OPERATING PARAMETERS**

**TEMPERATURE:** 39°F (4°C) TO 113°F (45°C)

PRESSURE RANGE: 30 PSI (2.1 KG/CM2) TO 60 PSI (4.2 KG/CM2)

FLOW RATE: 2.2 GPM

RATED CAPACITY: @ 150 GALLONS

#### THE HIGHEST LEVEL OF POINT OF USE PROTECTION

Get clean, safe, great tasting water, free from harmful bacteria and contaminants in your home with the an Inline
Filter made healthier by Aquveris™
Technology with MicronGuard™. The exceptional ultrafiltration technology developed for and proven effective in medical and dental offices is now available for home use.



#### **Inline Filter Provides:**

- 99.99999% bacteria removal (>7 LRV\*)
- 99.999% virus removal (>5 LRV\*)
- 97.2% lead reduction
- 99% reduction of other VOCs and heavy metals
- 95% reduction of PFAS (forever chemicals, PFOA/PFOS)

### **PERFORMANCE DATA**

Standard Certified to	Substance	Influent Challenge Concentration	Minimum % Reduction Requirement
42	Particulate, Class 1	At least 10,000 Particles/mL	≥85% Reduction
53	Cyst	2.0 mg/L ±10%	99.95%
53	PFOA, perflourooctanoic acid, CAS #335-67-1 PFOS, perflourooctanoic acid, CAS #1763-23-1	0.0015 mg/L ±10%	.00007 mg/L

#### **IAPMO certified to NSF/ANSI 372**

While testing was performed under standard laboratory conditions, actual performance may vary. Do not use with water that is microbiologically unsafe or of unknown quality. Systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.



50601-01 is certified by IAPMO R&T Against NSF/ANSI 42, 53, and 372 for Particulate Class I, Chlorine Taste and Odor, PFOA/PFOS reduction, and Lead Free requirement.















Contact us at:
(###)### ####
info@aquiveris.io
www.aguveris.io