

MOBILE CRANES

		
GMK5220	SL25	HEAVY DUTY JIB
CAPACITY	CAPACITY	CAPACITY
Max Load Capacity: 220 t at 10.0 m Max Lift Radius: 1.1 t at 58.0 m	Max Load Capacity: 25 t at 4.0 m Max Lift Radius: 1.1 t at 18.0 m	Max Load Capacity: 19.2 t

TOWER CRANES

		
MC50	MC85	MCT85
CAPACITY	CAPACITY	CAPACITY
Max Load Capacity: 2.5 t at 20.0 m Max Lift Radius: 1.1 t at 40.0 m	Max Load Capacity: 5.0 t at 20.0 m Max Lift Radius: 1.1 t at 50.0 m	Max Load Capacity: 5.0 t at 20.0 m Max Lift Radius: 1.1 t at 52.0 m
		
MCT88	STATIC BASES	
CAPACITY	CAPACITY	
Max Load Capacity: 5.0 t at 20.0 m Max Lift Radius: 1.1 t at 52.0 m	Max Load Capacity: 5.0 t Max Lift Radius: 52.0 m	

SELF-ERECTING CRANES



HD40

CAPACITY

Max Load Capacity: 4.0 t
Max Lift Radius: 35.0 m
Max Hook Height: 23.0 - 31.0 m




CBR-36H


CAPACITY

Max Load Capacity: 4.0 t
Max Lift Radius: 36.0 m
Max Hook Height: 23.0 - 29.0 m


LOADING PLATFORMS



CDA 2200



CDA 2800



CDA 3200

DIMENSIONS

Max Length: 5.25 m
Width: 2.20 m

DIMENSIONS

Max Length: 5.25 m
Width: 2.80 m

DIMENSIONS

Max Length: 5.25 m
Width: 3.20 m

CAPACITY

Max Load Capacity: 5.0 t
Tare Weight: 2.5 t

CAPACITY




Max Load Capacity: 5.0 t
Tare Weight: 2.7 t

CAPACITY

Max Load Capacity: 5.0 t
Tare Weight: 2.8 t



PROPPING

		
<p>PANEL PROPS</p>	<p>MULTI PROPS</p>	<p>BLOCKS</p>
<p>DIMENSIONS</p>	<p>DIMENSIONS</p>	<p>DIMENSIONS</p>
<p>Min. Length: 0.6 m Max Length : 14.5 m</p>	<p>Min. Length: 2.4 m Max. Length : 5.4 m</p>	<p>Size A: 2.0t – 2.4t</p>

ACCESSORIES

	Remote controls
	Two-way radios
	Rescue Cages, Man Cages
	Block Cages, Brick Cages, Pallet Lifter Lifting
	Bins Kibbles, Rubbish Bins
	Chains, Slings, Clutches, Chain Blocks
	Spreader Bars, Sheaves

